

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S37	13901	"1" and ((resolution near3 conver\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:12
S38	7827	(color with imag\$5 with pickup\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:12
S39	72	S38 and ((resolution near3 conver\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:13
S40	11897	(color with imag\$5 with (pick-up or (pick adj2 up) or pickup\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:13
S41	94	S40 and ((resolution near3 conver\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:13
S42	4	S41 and (interpolat\$5 same (lumin\$6) same (color near3 differen\$5) same filter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:17
S43	37	S40 and (interpolat\$5 same (lumin\$6) same (color near3 differen\$5) same filter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 15:17
S49	38	(calibrat\$4 or pres\$1can\$5) near6 ("no") adj (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:05
S50	31	S49 and (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:03
S51	38	(calibrat\$4 or pre\$1scan\$5) near6 ("no") adj (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:32

S52	29	S51 and ((compar\$5 or contrast\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:06
S53	14	S51 and ((compar\$5 or contrast\$5) same (calibrat\$5 or pre\$1scan\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:09
S54	3	S51 and ((calibrat\$5 near5 again) or (re\$1calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:10
S55	8	((calibrat\$5 near5 again) or (re\$1calibrat\$5)) and ((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:13
S56	11	((calibrat\$5 near5 (repeat\$5 or again or (re\$2execut\$5 or re\$2perform\$5 or re\$2process\$5))) or (re\$1calibrat\$5)) and ((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:18
S57	372	((calibrat\$5 near5 (repeat\$5 or again or (re\$2execut\$5 or re\$2perform\$5 or re\$2process\$5))) or (re\$1calibrat\$5)) same ((compar\$5 or analy\$5) with result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:18
S58	319	S57 and (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:18
S59	0	S58 and ((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:19
S60	265	((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:19
S61	2	((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u)) same ((compar\$5 or analy\$5) with result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:20

S62	4	((photo\$5 near3 respon\$5 near3 (non adj3 uniform\$5)) or (p near2 r near2 n near2 u) or pmu) same ((compar\$5 or analy\$5) with result)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:20
S63	43	(calibrat\$4 or pre\$1scan\$5 or (recalibrat\$5 or re-calibrat\$5 or (calibrat\$5 near3 (again or repeat\$5)))) near6 (("no") adj (light or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:43
S64	0	(compar\$5 same (dark near4 (scan\$5 or pre\$2scan\$5)) same (pmu or (p adj2 r adj2 n adj2 u) or (photo near2 respon\$5 near2 non near2 uniform\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:51
S65	7	((dark near4 (scan\$5 or pre\$2scan\$5)) same (prnu or (p adj2 r adj2 n adj2 u) or (photo near2 respon\$5 near2 non near2 uniform\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:51
S66	7	S51 and (compar\$5 with result\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 13:06
S67	684	(calibrat\$4 or pre\$1scan\$5) near6 (((("no") adj (light or lamp)) or dark)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 13:06
S70	6	"5280368".pn. "4967233".pn. "5086343".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:41
S71	1	S70 and (compar\$5 same calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:34
S72	1	S70 and (compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:35
S73	0	S70 and (prnu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:37
S74	0	S70 and (re\$3calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:37

S75	6	S70 and (calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:39
S76	1	S70 and (calibrat\$5 with difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:40
S77	1	S70 and (calibrat\$5 same difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:41
S78	8	"5280368".pn. "4967233".pn. "5086343".pn. "4602291".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:23
S79	3	S78 and (calibrat\$5 same difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:42
S80	1	S78 and (calibrat\$5 same compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:44
S81	1	S78 and (calibrat\$5 same (analy\$5 or compar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:44
S82	1	"858079".ap. and (difference same profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:47
S83	935	((calculat\$5 or comput\$5 or determin\$5) near5 (difference) with (lamp or light) near3 (profile or intensit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:58
S84	163	S83 and ((calibrat\$5 or recalibrat\$5 or re-calibrat\$5 or (calibrat\$5 near3 (repeat\$5 or again)))) and (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:52
S85	2	S84 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:49

S86	26	S83 and ((recalibrat\$5 or re-calibrat\$5 or (calibrat\$5 near3 (repeat\$5 or again)))) and (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:52
S87	31	((calculat\$5 or comput\$5 or determin\$5) near5 (difference) with (lamp or light) near3 (profile or intensit\$5)) same (reference near3 (profile or intensit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:59
S88	0	((calculat\$5 or comput\$5 or determin\$5) near5 (difference) with (lamp or light) near3 (profile or intensit\$5)) same (reference near3 (profile or intensit\$5)) and (calibrat\$5 with (scan\$5 or read\$5 or copier or (fax or facsimile))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:00
S89	36	((calculat\$5 or comput\$5 or determin\$5) near5 (difference) with (lamp or light) near3 (profile or intensit\$5)) and (calibrat\$5 with (scan\$5 or read\$5 or copier or (fax or facsimile))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:13
S90	10	((calculat\$5 or comput\$5 or determin\$5) near5 (difference) with (lamp or light) near3 (profile or intensit\$5)) and (calibrat\$5 with (scan\$5 or read\$5 or copier or (fax or facsimile)))) and (difference with (threshold\$5 or limit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:05
S91	2	S78 and ((light or lamp) near4 (profile or intensit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:11
S92	3	S78 and ((light or lamp) near4 (calibrat\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:12
S93	2	S78 and ((light or lamp) with compensat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:12
S94	1187	((difference or chang\$4) with (lamp or light) near3 (profile or intensit\$5)) and (calibrat\$5 with (scan\$5 or read\$5 or copier or (fax or facsimile))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:14
S95	151	S94 and ((difference or chang\$4) with (greater or more or less or lesser or bigger or smaller) with (threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:21

S96	133	S95 and (calibrat\$5 near5 (scann\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:21
S97	0	S95 and ((recalibrat\$5 or re-calibrat\$5) near5 (scann\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:21
S98	63	S95 and ((recalibrat\$5 or re-calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:22
S99	2	"5086343".pn. and reference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:25
S10 0	5	S78 and reference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 15:25
S10 1	0	(re\$2calibrat\$5 same ((photo\$2respon\$5 near2 non\$2uniform\$5) or prnu or (p adj2 r adj2 n adj2 u)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 18:17
S10 2	2	((((calibrat\$5 near3 (repeat\$5 or again)) or re\$2calibrat\$5) same ((photo\$2respon\$5 near2 non\$2uniform\$5) or prnu or (p adj2 r adj2 n adj2 u))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 18:19
S10 3	5	((((calibrat\$5 near3 (repeat\$5 or again)) or re\$2calibrat\$5 or again) same ((photo\$2respon\$5 near2 non\$2uniform\$5) or prnu or (p adj2 r adj2 n adj2 u))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 18:20
S10 4	6	((((calibrat\$5 near3 (repeat\$5 or again)) or re\$2calibrat\$5 or again or repeat\$5) same ((photo\$2respon\$5 near2 non\$2uniform\$5) or prnu or (p adj2 r adj2 n adj2 u))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 18:21
S10 5	6	((((calibrat\$5 near3 (repeat\$5 or again)) or re\$2calibrat\$5 or again or repeat\$5) same ((photo adj2 respon\$5 near2 non\$2uniform\$5) or prnu or (p adj2 r adj2 n adj2 u))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 18:21

S10 6	122	((photo adj2 respon\$5 near2 non\$2uniform\$5) or prmu or (p adj2 r adj2 n adj2 u))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 18:22
S10 7	66	S106 and (compar\$5 and differ\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 18:22
S10 8	46	(interpolat\$5 same ((stop\$5 or terminat\$5 or abort\$5 or exit\$5) near3 condition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:12
S10 9	1	S108 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:12
S11 0	1214	(interpolat\$5 and ((stop\$5 or terminat\$5 or abort\$5 or exit\$5) near3 condition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:12
S11 1	36	S110 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:13
S11 2	0	S110 and ((input\$5 near3 component) near4 (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:14
S11 3	147	interpolat\$5 and ((input\$5 near3 component) near4 (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:14
S11 4	18	interpolat\$5 and ((input\$5 near3 component) near4 (zero or "0" or "0.0")) and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:17
S11 5	69	interpolat\$5 and ((component) near4 (zero or "0" or "0.0")) and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 interpolat\$5) and ((rank\$5 or sort\$5 or ordering or ordered) same (component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:25

S11 6	57	interpolat\$5 and ((component) near4 (zero or "0" or "0.0")) and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 calculat\$5) and ((rank\$5 or sort\$5 or ordering or ordered) same (component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:27
S11 7	48	S116 and (color with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:26
S11 8	47	interpolat\$5 and ((component) near4 (zero or "0" or "0.0")) and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 calculat\$5) and ((rank\$5 or sort\$5 or ordering or ordered) same (component)) and (color near3 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:28
S11 9	72	interpolat\$5 and ((component) near4 (zero or "0" or "0.0")) and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)) and ((rank\$5 or sort\$5 or ordering or ordered) same (component)) and (color near3 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:31
S12 0	24	interpolat\$5 and ((component) near4 (zero or "0" or "0.0")) and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)) and ((rank\$5 or sort\$5 or ordering or ordered) with (fraction\$5 or component)) and (color near3 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:32
S12 1	0	interpolat\$5 and (((component) near4 (zero or "0" or "0.0")) same ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5))) and ((rank\$5 or sort\$5 or ordering or ordered) with (fraction\$5 or component)) and (color near3 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:32
S12 2	7	interpolat\$5 and (((component) near4 (zero or "0" or "0.0")) same ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:43
S12 3	1140	interpolat\$5 and (((zero or "0" or "0.0")) same ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:44

S12 5	96	interpolat\$5 and (((zero or "0" or "0.0")) same interpolat\$5 same ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:55
S12 6	13	S125 and (dimension\$5 with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:49
S12 7	6	interpolat\$5 and (((zero or "0" or "0.0")) same interpolat\$5 same ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5))) and ((sort\$5 or rank\$5 or ordering or ordered) with (larg\$5 or small\$5 or big\$5 or high\$5 or low\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 14:57
S12 8	593	interpolat\$5 and (((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5))) and ((sort\$5 or rank\$5 or ordering or ordered) with (larg\$5 or small\$5 or big\$5 or high\$5 or low\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:25
S12 9	1	"6532017".PN.	USPAT; USOCR	OR	ON	2005/07/10 15:19
S13 0	1	"6204857".PN.	USPAT; USOCR	OR	ON	2005/07/10 15:19
S13 1	1	"5745118".PN.	USPAT; USOCR	OR	ON	2005/07/10 15:20
S13 2	1	"5659671".PN.	USPAT; USOCR	OR	ON	2005/07/10 15:20
S13 3	1	"5361386".PN.	USPAT; USOCR	OR	ON	2005/07/10 15:20
S13 4	1	"5253339".PN.	USPAT; USOCR	OR	ON	2005/07/10 15:21
S13 5	1	"4709231".PN.	USPAT; USOCR	OR	ON	2005/07/10 15:21
S13 6	5	yoshioka-shigeatsu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:24
S13 7	39	345/608-610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:24
S13 8	8	S137 and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:26

S13 9	83	interpolat\$6 and ((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)) and (gradient near4 (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:28
S14 0	2	interpolat\$6 and (((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)) same (gradient near4 (zero or "0" or "0.0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:29
S14 1	23	(((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5) near5 (loop or calculat\$5 or iterat\$5)) same (gradient near4 (zero or "0" or "0.0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:29
S14 2	32	(((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5 or finish\$5) near5 (loop or calculat\$5 or iterat\$5 or interpolat\$6)) same (((x or y or z or w) near3 component) or gradient) near4 (zero or "0" or "0.0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:32
S14 3	35	(((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5 or finish\$5) near5 (loop or calculat\$5 or iterat\$5 or interpolat\$6)) same (((x or y or z or w or horizontal or vertical) near3 component) or gradient) near4 (zero or "0" or "0.0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:33
S14 4	1613	(((stop\$5 or abort\$5 or exit\$5 or terminat\$5 or end\$5 or finish\$5)) same (((x or y or z or w or horizontal or vertical) near3 component) or gradient) near4 (zero or "0" or "0.0")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:34
S14 5	68	S144 and (color with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:34
S14 6	0	("6720974").URPN.	USPAT	OR	ON	2005/07/10 15:37
S14 7	7	("4709231" "5253339" "5361386" "5659671" "5745118" "6204857" "6532017").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 15:37
S14 8	0	S147 and (gradient near4 (zero or "0" or "0.0"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:37
S14 9	3	S147 and (gradient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:38

S15 0	1	S147 and ((stop\$5 or abort\$5 or terminat\$5 or finish\$5 or end\$5) near5 (calculat\$5 or interpolat\$5 or iterat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:38
----------	---	---	---	----	----	------------------

[Search Result - Print Format](#)[< Back to](#)

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IIE CNF = IIE Conference, IEEE STD = IEEE Standard

1. **High quality Image interpolation for color filter arrays**
Bongjun Lee; Jaeseok Kim; Chulhee Lee;
Systems, Man, and Cybernetics, 2000 IEEE International Conference on
Volume 2, 8-11 Oct. 2000 Page(s):1547 - 1550 vol.2
IEEE CNF
2. **Many-sorted high-level nets**
Billington, J.;
Petri Nets and Performance Models, 1989. PNPM89., Proceedings of the Third International Workshop on
11-13 Dec. 1989 Page(s):166 - 179
IEEE CNF
3. **Colour image interpolation for high resolution acquisition and display devices**
Herodotou, N.; Venetsanopoulos, A.N.;
Consumer Electronics, IEEE Transactions on
Volume 41, Issue 4, Nov. 1995 Page(s):1118 - 1126
IEEE JNL
4. **Study on color image processing based Intelligent fruit sorting system**
Guo Feng; Cao Qixin;
Intelligent Control and Automation, 2004. WCICA 2004. Fifth World Congress on
Volume 6, 15-19 June 2004 Page(s):4802 - 4805 Vol.6
IEEE CNF
5. **Primary-consistent soft-decision color demosaicking for digital cameras (patent pending)**
Xiaolin Wu; Ning Zhang;
Image Processing, IEEE Transactions on
Volume 13, Issue 9, Sept. 2004 Page(s):1263 - 1274
IEEE JNL
6. **Interpolation using neural networks for digital still cameras**
Jinwook Go; Kwanghoon Sohn; Chulhee Lee;
Consumer Electronics, IEEE Transactions on
Volume 46, Issue 3, Aug. 2000 Page(s):610 - 616
IEEE JNL
7. **Designing the color palette for textile material printing process**
Marcu, G.; Iwata, K.;
Acoustics, Speech, and Signal Processing, 1994. ICASSP-94., 1994 IEEE International Conference on
Volume 5, 19-22 April 1994 Page(s):V/101 - V/104 vol.5
IEEE CNF
8. **Morphological interpolation and color images**
Iwanowski, M.; Serra, J.;
Image Analysis and Processing, 1999. Proceedings. International Conference on
27-29 Sept. 1999 Page(s):50 - 55
IEEE CNF

9. **Color separation for printing with non-standard inks**
Marcu, G.; Abe, S.;
Image Processing, 1994. Proceedings. ICIP-94., IEEE International Conference
Volume 3, 13-16 Nov. 1994 Page(s):1002 - 1005 vol.3
IEEE CNF
10. **Performance comparison of various interpolation methods for color filter arrays**
Bongjun Lee; Kwanghoon Sohn; Chulhee Lee;
Industrial Electronics, 2001. Proceedings. ISIE 2001. IEEE International Symposium on
Volume 1, 12-16 June 2001 Page(s):232 - 236 vol.1
IEEE CNF
11. **Finding a perceptual uniform color space with evolution strategies**
Raidl, G.R.; Tasti, I.;
Evolutionary Computation, 1997., IEEE International Conference on
13-16 April 1997 Page(s):513 - 517
IEEE CNF
12. **Multi-resolution multi-field ray tracing: a mathematical overview**
Gasparakis, C.;
Visualization '99. Proceedings
24-29 Oct. 1999 Page(s):199 - 206
IEEE CNF
13. **Interpolation using neural network for digital still cameras**
Jinwook Go; Chulhee Lee;
Consumer Electronics, 2000. ICCE. 2000 Digest of Technical Papers. International Conference on
13-15 June 2000 Page(s):176 - 177
IEEE CNF
14. **A novel approach of image compression in digital cameras with a Bayer color filter array**
Sang-Yong Lee; Ortega, A.;
Image Processing, 2001. Proceedings. 2001 International Conference on
Volume 3, 7-10 Oct. 2001 Page(s):482 - 485 vol.3
IEEE CNF
15. **Projecting tetrahedra without rendering artifacts**
Kraus, M.; Wei Qiao; Ebert, D.S.;
Visualization, 2004. IEEE
2004 Page(s):27 - 34
IEEE CNF
16. **Interpolative, predictive and pyramid transform coding of color images**
Haskell, B.G.;
Acoustics, Speech, and Signal Processing, 1988. ICASSP-88., 1988 International Conference on
11-14 April 1988 Page(s):785 - 787 vol.2
IEEE CNF
17. **Edge-adaptive color reconstruction for single-sensor digital cameras**
Xiaomeng Wang; Weisi Lin; Ping Xue;
Information, Communications and Signal Processing, 2003 and the Fourth Pacific Rim Conference on Multimedia.
Proceedings of the 2003 Joint Conference of the Fourth International Conference on
Volume 1, 15-18 Dec. 2003 Page(s):272 - 276 Vol.1
IEEE CNF
18. **Using natural image properties as demosaicing hints**

Omer, I.; Werman, M.;
Image Processing, 2004. ICIP '04. 2004 International Conference on
Volume 3, 24-27 Oct. 2004 Page(s):1665 - 1670 Vol. 3

IEEE CNF

19. Image compression based on a multipoint Taylor series representation

Franssens, G.; de Maziere, M.; Fonteyn, D.; Fussen, D.;
Computer Graphics, Image Processing, and Vision, 1998. Proceedings. SIBGRAPI '98. International Symposium on
20-23 Oct. 1998 Page(s):174 - 184

IEEE CNF

20. Strategies for direct volume rendering of diffusion tensor fields

Kindlmann, G.; Weinstein, D.; Hart, D.;
Visualization and Computer Graphics, IEEE Transactions on
Volume 6, Issue 2, April-June 2000 Page(s):124 - 138

IEEE JNL

21. Color image compression using a Hilbert scan

Kamata, S.-I.; Nishi, T.N.; Bando, Y.;
Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on
Volume 2, 16-20 Aug. 1998 Page(s):1575 - 1578 vol.2

IEEE CNF

22. A multimedia color camera providing multi-format digital Images

Imaide, T.; Kinugasa, T.; Kudo, Y.; Yamamoto, N.;
Consumer Electronics, IEEE Transactions on
Volume 39, Issue 3, Aug. 1993 Page(s):467 - 473

IEEE JNL

23. Spatial interpolation of interlaced television pictures

Martinez, D.M.; Lim, J.S.;
Acoustics, Speech, and Signal Processing, 1989. ICASSP-89., 1989 International Conference on
23-26 May 1989 Page(s):1886 - 1889 vol.3

IEEE CNF

24. Image-based rendering using image-based priors

Fitzgibbon, A.; Wexler, Y.; Zisserman, A.;
Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on
13-16 Oct. 2003 Page(s):1176 - 1183 vol.2

IEEE CNF

25. Object segmentation using feature based conditional morphology

Hamid, M.R.; Baloch, A.; Bilal, A.; Zaffar, N.;
Image Analysis and Processing, 2003. Proceedings. 12th International Conference on
17-19 Sept. 2003 Page(s):548 - 553

IEEE CNF

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	borg-lars.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:39
L2	21	borg-lars-u.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:39
L3	12	borg-l-u.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:40
L4	1	(1 or 2 or 3) and (color with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:40